



**ENVIRONMENTAL FLOW REPORT
(COTTER RIVER - BELOW COTTER DAM)**

DECEMBER 2010

The table below shows the environmental flow volumes provided to the Cotter River and Murrumbidgee River (directly) downstream of Cotter Dam.

DATE	DAILY COTTER E-FLOW VOLUME (ML/day)	AVERAGE DAILY COTTER E-FLOW VOLUME (ML/day) (measured from 04.01.2010)
1/12/2010	5670.0	442
2/12/2010	6361.0	460
3/12/2010	12964.0	498
4/12/2010	6674.0	516
5/12/2010	4362.0	528
6/12/2010	2968.0	535
7/12/2010	2278.0	540
8/12/2010	1995.0	544
9/12/2010	8554.0	568
10/12/2010	5494.0	582
11/12/2010	3512.0	591
12/12/2010	2514.0	596
13/12/2010	1941.0	600
14/12/2010	1598.0	603
15/12/2010	1332.0	605
16/12/2010	1290.0	607
17/12/2010	1064.0	609
18/12/2010	898.6	609
19/12/2010	870.0	610
20/12/2010	922.8	611
21/12/2010	845.4	612
22/12/2010	767.4	612
23/12/2010	704.4	612
24/12/2010	633.7	613
25/12/2010	577.5	612
26/12/2010	533.5	612
27/12/2010	510.5	612
28/12/2010	486.8	612
29/12/2010	448.5	611
30/12/2010	411.3	611
31/12/2010	373.9	610